



OAKS LANDING STEEL PARK BENCH WITH CAST IRON BACK

ASSEMBLY INSTRUCTIONS

ITEM# : GBO-XG-204

SKU# : 810587611

Need help? We are here for you! 1-888-733-8169 Toll Free

Or email us at customerservice_01@yeah.net, customerservice_02@yeah.net

customerservice_03@yeah.net

GENERAL BEST PRACTICES FOR ASSEMBLY:

Read all instructions before starting

Clear a flat covered space to begin assembly

Always best to do it with a friend

Note that hardware required is provided for every step

Pay attention to orientation

Number of the hardware corresponds to its letter in the package

Helpful hints provided along the way

WARNINGS:

Use the correct screws as indicated. All screws should be hand tightened until the complete piece is assembled (This will make the assembly process much easier). Once the piece is fully assembled, then go back and tighten all screws with provided tool.

Keep all children and pets away from assembly area. Children and pets should be supervised when they are in the area of the product construction.

Keep assembly area at least 6 feet from any obstruction such as a fence, garage, house, overhanging branches, laundry line or electrical wires.

Some parts may contain sharp edges. When assembling and using this product, basic safety precautions should always be followed to reduce the risk of personal injury and damage to the product. Please read all instructions before assembly and use.

The bench is not to be used for standing purposes and will not function as a stool or step-ladder. Use on even surfaces only.

The bench is used at weight of 450lb (204.5kg). Improper use of this product or failure to use as directed may result in injury. Not intended for commercial use.

MAINTENANCE

Before using, clean the product completely with a soft dry towel. When not in use, wipe free of any dirt or loose objects. Wash with a mild solution of soap and water, rinse thoroughly and dry completely. Do not use strong detergent or abrasive cleaners. Screws may loosen over time, please check the screws occasionally and re-tighten if necessary.

PARTS LIST



A
2PC Arms



B
1PC Bench Seat Panel




C
1PC Bench Back Panel

HARDWARE LIST



D
4PC Short Screw (M6x50mm)



E
4PC Long Screw (M6x70mm)



F
8PC Washer



G
8PC Nut



I
1PC Allen Wrench



J
1PC Open End Wrench



H
4PC Plastic Cover

Warranty



One year limited warranty.

Proof of purchase (dated register receipt) is required for warranty claims.


It remains the customer's responsibility for freight and packing charges to and from the service center.

STEP 1

Secure bench seat Panel (B) to 2 bench arms (A) with 4 short screw (D), 4 washer (F), 4 nut (G) and 4 plastic cover (H) by using allen wrench (I) and open end wrench (J). **Do not fully tighten all screws now.**



D F G H



STEP 2

Secure bench back panel (C) to 2 bench arms (A) with 4 long screw (E), 4 washer (F) and 4 nut (G) by using allen wrench (I) and wrench (J).

Adjust and tighten all screws. Finish!

