



ASSEMBLY INSTRUCTIONS

ITEM#: A208035603

SKU#: 810588661

YORKTOWN SQUARE TABLE

Need help? We are here for you! 1(866)578-6569 24/7 ☒ Toll Free

Production number: 2023200013

GENERAL BEST PRACTICES FOR ASSEMBLY:

- Please read and understand this entire manual before attempting to assemble or install the product.
- Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list. If any part is missing or damaged, do not attempt to assemble the product.
- Do not place the product on a damp or conductive subsurface.

WARNINGS:

- Standing on or misuse of this table may result in damage and injury. Read and follow mfg. assembly and use instructions. Not intended for commercial use.
- Keep all children and pets away from assembly area.
- Children and pets should be supervised when they are in the area of the Chair construction.
- Keep assembly area at least 6 feet from any obstruction such as a fence, garage, house, overhanging branches, laundry line or electrical wires.
- Check all bolts for tightness before use. IMPORTANT - check and tighten bolts often to keep them secure!

WARRANTY:

WHAT IS COVERED?


The limited warranty is extended to the original purchaser and applies to material and manufacturer's defect provided the item is maintained with care and used only for personal, residential purposes.

Warranty: 12 months







MAINTENANCE:

- Steel components for this table are treated with rust inhibiting paint that protects it from rusting. However, due to the nature of steel, surface oxidation (rusting) will occur if these protective coatings are scratched. This is not a defect and thus not covered by the warranty.
- Do not use bleach, acid, or other abrasive cleaners on the roof or frame parts.
- Keep instruction manual for future reference.
- Surface rust can also be easily removed with a very light application of regular cooking oil or WD-40. If surface oxidation (rusting) occurs and if no measure is taken to prevent this, the oxidation may start dripping onto deck or patio and caused damaging stains, which may be difficult to remove. This can be prevented if the above-mentioned measures are taken to keep the product from oxidizing.



EXPLODED DRAWING



PARTS LIST



| Label | Part Number | Description | Qty | Part Image |
|-------|--------------|-------------------------|-----|--|
| A | P00650004002 | Umbrella Hole Cap | 1 |  |
| B | P00210030203 | Table Top | 1 |  |
| C | P00540022502 | Leg 1 | 1 |  |
| D | P00540022602 | Leg 2 | 2 |  |
| E | H990030041 | Foot Pad pre-assembled | 1 |  |
| F | H990030040 | AdjustPad Pre-assembled | 4 |  |

HARDWARE LIST


| Label | Part Number | Description | Qty | Add | Part Image |
|-------|-------------|-------------|-----|-----|---|
| H1 | H10 0010023 | Bolt M6*15 | 16 | 2 |  |
| HW | H09 0030002 | Wrench M6 | 1 | 0 |  |

HELPFUL HINTS




- Tools needed and not included
- Separating parts before starting



How many people are needed for the installation




STEP 1






Attached the Leg 2 (D) to Leg 1 (C) with Bolt (H1), tighten the Bolt to 80% depth with Wrench (HW).

Assembled View:




STEP 2





Attached the Leg 2 (D) and Leg 1(C) to Table Top (B) with Bolt(H1), tighten all the Bolt to 100% depth with Wrench(HW) at last..

AssembledView:



STEP 3



Put the Umbrella Hole Cap (A) to the Table Top (B), Tighter the Bolt (E) to Leg 1 (C) when inserting the umbrella

Assembled View:

